

#### USING THE PROPER STONE CARE PRODUCTS TO PROTECT STONE

ISHINOL SERIES

# **CLEAR TOP**

\* Natural finish and powerful stain prevention effect for stone.

\* Water type and does not contain organic solvent which is harmful to the human body or environment.

ISHINOL "CLEAR TOP" is the powerful film type protective agent for the stone. It is suitable to use for the doorway to the kitchen or other place where it becomes dirty very easily. ISHINOL "CLEAR TOP" never spoil beauty of the stone.

#### [CHARACTERISTICS]

- 1. Creates the powerful and hard protective film on the surface of the stone and protects soft stone from damage.
- 2. Does not make incongruous luster and never spoil the stone beauty.
- 3. Has good adhesion to the mineral material such as stones.
- 4. Powerful stain prevention effect.
- 5. Can form a hard film in a short time.
- 6. A crack is hard to bring about even if it is painted thickly.
- 7. Has waterproof effect, alkali resistance and gasoline resistance.

#### KONSHO CO.,LTD.





Granite

limestone

### **(STAIN PREVENTION EFFECT)**

Clear Top is coated on the left side and nothing is coated on the right side. Put coffee , cola , soy sauce and oil on the each stones and wash with water after 24 hours.





Before washing

After washing

#### [USAGE]

- \* Using ISHICLEAN Series, wash and remove all stains and wax.
- \* Allow thorough drying after washing. Otherwise, unevenness in color may occur.
- \* Equally apply to surface area. Basically, use undiluted liquid. If it is hard to apply, about 20% of water can be added.
- \* Allow to dry for about 3 hours. Be careful not to get the surface wet with water during the drying period.

### KONSHO CO.,LTD.

### [STANDARD APPLICATION QUANTITY]

# LIME STONE, SAND STONE, OTHER DELICATE STONE ... 10 m²/ L GRANITE ... 12 $\sim$ 15 m²/ L

\* Clear Top can not be used for polished surface.

#### [CHARACTERISTICS]

Appearance :	milk white liquid
Element :	Acrylic silicone resin
Storage :	6 months (Storing at 1 $^\circ\!\mathrm{C} \sim 30^\circ\!\mathrm{C}$ in sealed container)
Packing :	5kg bottle

### [NOTE]

- Shake the container before use.
- Clear Top is for only interior use.
- Does not prevent suction of water. Do not use at the place where it may suck water such as bathroom.
- Test samples before application.
- It can be diluted with  $20 \sim 50$  % of water if it is hard to apply.
- Use mop, brush, roller , spray etc. to apply.
- Be careful not to get the surface wet with water during the drying period.
- Can not be used for polished surface.
- After 1<sup>st</sup> application is completely dry, apply 2<sup>nd</sup> application.
- Wash the tools with water after use.
- Can not use again once it freezes. Please store at  $1 \degree C \sim 30 \degree C$
- Keep sealed tightly.
- First aid treatment : Skin contact ... Flush with water and soap Eye contact ... Flush with water thoroughly and get medical attention.
- Refer MSDS for other details.

## KONSHO CO.,LTD.